



MATERIAL SAFETY DATA SHEET

DESTAIN

SECTION 1 – CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: Destain
GENERAL/GENERIC NAME: Bleach
PRODUCT USE: October 6, 2011
EFFECTIVE DATE: Alpine Specialty Chemicals Ltd.
VENDOR NAME AND ADDRESS: 24 Ronson Drive, Unit 16
Etobicoke, Ontario M9W 1B4
613-996-6666
24 HOUR EMERGENCY NO.

SECTION 2 – COMPOSITION / INFORMATION INGREDIENTS

INGREDIENT	%W/W	CAS.NO	TLV	LD50 / LC50
Sodium Hypochlorite	10 - 12	7681-52-9	ND	Oral Rat LD50 Acute 4445

SECTION 3 – HAZARDS IDENTIFICATION

Route of Entry:

Skin Contact: Causes irritation.

Eye Contact: Causes transient irritation.

Inhalation: Mist may cause irritation of the respiratory tract.

Ingestion: May cause irritation to digestive tract.

Effects of Acute Exposure: (see section 11 for Toxicological information).

SECTION 4 – FIRST AID

Eyes: Flush with running water for at least 15 minutes while holding eyelids open. Get medical attention.

Skin Contact: Flush contaminated skin with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing thoroughly before re-use. Seek medical attention if skin is burned or symptoms continue.

Inhalation: Remove victim to fresh air. Aid in breathing if necessary. If breathing stops, administer artificial respiration. Seek medical attention. Effects may be delayed for a few hours and aggravated by physical exertion.

Ingestion: Give plenty of water to drink to dilute stomach contents. **Do not induce vomiting.** Seek immediate medical attention.

Note to Physician: Risk of corneal injury and possible blindness if splashed into eyes.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT: None
FLAMMABLE LIMITS: NA
AUTO-IGNITION TEMP: NA
EXTINGUISHING MEDIA: Ventilate area, flush product with water, prevent released product from coming in contact with other chemicals.
SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing.
EXPLOSION DATA: ND
HAZARDOUS COMBUSTION PRODUCTS: Acids, vigorous reaction with oxidizing or organic materials, may explode when exposed to extreme heat (fire).

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak/Spill: Contain spills; absorb onto inert material.

MATERIAL SAFETY DATA SHEET

DESTAIN

SECTION 7 – HANDLING AND STORAGE

Handling Procedures: Avoid all skin contact. Ventilate adequately, otherwise wear an appropriate breathing apparatus. Avoid contact with eyes, skin or clothing. . Keep container closed when not in use.

Storage Procedures: Keep containers closed. Keep in a cool place away from direct sunlight or heat. Store away from acids, ammonia and organic materials.

SECTION 8 – EXPOSURE CONTROLS

PROTECTIVE EQUIPMENT TO BE USED:

RESPIRATORY PROTECTION: Respirator when handling spills.
VENTILATION: General ventilation adequate.
PROTECTIVE GLOVES: Rubber
EYE PROTECTION: Safety goggles
OTHER PROTECTIVE MEASURES: Rubber boots

SECTION 9 – PHYSICAL PROPERTIES

PHYSICAL STATE: Liquid
APPEARANCE AND ODOUR: Clear slightly yellow, mild chlorine odour
ODOUR THRESHOLD: NA
SPECIFIC GRAVITY: 1.095 (Water = 1)
VAPOUR PRESSURE: NA
VAPOUR DENSITY: Similar
PH: 12.8 – 13.1
EVAPORATION RATE: NA
INITIAL BOILING POINT: 100°C approximately
WATER SOLUBILITY: Soluble
FREEZING POINT: <-5°C

SECTION 10 – STABILITY AND REACTIVITY

STABILITY: Stable
INCOMPATIBILITY: Acids.
HAZARDOUS DECOMPOSITION PRODUCTS: Chlorine (by reaction with acids, ammonia, urea, nickel, copper and iron).
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: Avoid heat, fire, organic matter and nitrogen containing compounds.

SECTION 11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE: ND
EFFECTS OF ACCUTE EXPOSURE:
SKIN CONTACT: Corrosive. May cause severe irritation.
EYE CONTACT: Corrosive. May cause severe burns.
INHALATION: Corrosive. Breathing mist or spray may cause irritation of respiratory tract.
INGESTION: Corrosive. May cause irritation to digestive tract.
EFFECT OF CHRONIC EXPOSURE:
IRRITANCY OF PRODUCT: Moderate
CARCINOGENICITY: ND
SENSITIZATION TO MATERIAL: ND
REPRODUCTION TOXICITY: ND
TERATOGENICITY: ND
MUTAGENICITY: ND

MATERIAL SAFETY DATA SHEET

DESTAIN

SECTION 12 – ECOLOGICAL CONSIDERATION

No permanent effects on ecosystems.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: In accordance with federal, provincial or local government requirements.

SECTION 14 – TRANSPORT INFORMATION

TDG Classification: Sodium Hypochlorite
Class 8 UN 1791 PG III

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: D2B, E

SECTION 16 – OTHER INFORMATION

Prepared by: Lab Personnel

Phone: (416) 744-2120

Website: www.alpinechem.com

Disclaimer:

The information contained in this form is based on data from sources considered technically reliable and has been provided in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond our control. No warranty, expressed or implied, is made and we will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information in this form.