

MATERIAL SAFETY DATA SHEET

VENTURE



SECTION 1 – CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: Venture
GENERAL/GENERIC NAME:
PRODUCT USE: Heavy duty alkaline cleaner
EFFECTIVE DATE: October 6, 2011
VENDOR NAME AND ADDRESS: Alpine Specialty Chemicals Ltd.
24 Ronson Drive, Unit 16
Etobicoke, Ontario M9W 1B4
613-996-6666
24 HOUR EMERGENCY NO.

SECTION 2 – COMPOSITION / INFORMATION INGREDIENTS

INGREDIENT	%W/W	CAS.NO	TLV	LD50 / LC50
Potassium Hydroxide	1 – 5	1310-58-3	ND	ND
Ethylene Glycol Monobutyl Ether	2 - 10	111-76-2	TLV (ACGIH) 25 ppm (skin)	LD50 0.5 – 3.0 g/kg (oral/rat)
Sodium metasilicate	1 – 5	6834-92-0	ND	ND

SECTION 3 – HAZARDS IDENTIFICATION

Route of Entry:

Skin Contact: May cause irritation.

Eye Contact: May cause transient irritation.

Inhalation: Mist may cause irritation of the respiratory tract.

Ingestion: May cause irritation to digestive tract.

Effects of Acute Exposure: (see section 11 for Toxicological information).

SECTION 4 – FIRST AID

Eyes: Flush with running water for at least 15 minutes while holding eyelids open. Get medical attention.

Skin Contact: Flush contaminated skin with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing thoroughly before re-use. Seek medical attention if skin is burned or symptoms continue.

Inhalation: Remove victim to fresh air. Aid in breathing if necessary. If breathing stops, administer artificial respiration. Seek medical attention. Effects may be delayed for a few hours and aggravated by physical exertion.

Ingestion: Give plenty of water to drink to dilute stomach contents. **Do not induce vomiting.** Seek immediate medical attention.

Note to Physician: Risk of corneal injury if splashed into eyes.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT: ND
FLAMMABLE LIMITS: ND
AUTO-IGNITION TEMP: ND
EXTINGUISHING MEDIA: As per surrounding fire
SPECIAL FIREFIGHTING PROCEDURES: None
EXPLOSION DATA: ND
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon and nitrogen.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak/Spill: Contain spills; absorb onto inert material.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures: Avoid all skin contact. Ventilate adequately, otherwise wear an appropriate breathing apparatus. Avoid contact with eyes, skin or clothing. . Keep container closed when not in use.

MATERIAL SAFETY DATA SHEET

VENTURE

Storage Procedures: Keep from freezing. Keep containers closed when not in use

SECTION 8 – EXPOSURE CONTROLS

PROTECTIVE EQUIPMENT TO BE USED:

RESPIRATORY PROTECTION: Not required under adequate ventilation.
VENTILATION: General ventilation adequate.
PROTECTIVE GLOVES: Rubber or Neoprene
EYE PROTECTION: Safety goggles
OTHER PROTECTIVE MEASURES: Wear proper safety equipment when handling product. Eye wash station should be available.

SECTION 9 – PHYSICAL PROPERTIES

PHYSICAL STATE: Liquid
APPEARANCE AND ODOUR: Clear purple liquid
ODOUR THRESHOLD: ND
SPECIFIC GRAVITY: 1.05
VAPOUR PRESSURE: ND
VAPOUR DENSITY: ND
PH: 14
EVAPORATION RATE: ND
INITIAL BOILING POINT: 100°C approximately
WATER SOLUBILITY: Complete
FREEZING POINT: 0°C approximately

SECTION 10 – STABILITY AND REACTIVITY

STABILITY: Stable
INCOMPATIBILITY: Strong Acids
HAZARDOUS DECOMPOSITION PRODUCTS: ND
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: Contact with strong acids will generate heat.

SECTION 11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE: ND
EFFECTS OF ACCUTE EXPOSURE:
SKIN CONTACT: May cause severe irritation.
EYE CONTACT: May cause temporary or permanent damage if not treated promptly.
INHALATION: Breathing mist, spray or vapor may cause irritation.
INGESTION: May cause severe irritation to digestive tract. Maybe harmful if swallowed.
EFFECT OF CHRONIC EXPOSURE: Animals receiving repeated doses of concentrated Butoxyethanol develops hemolytic anemia and secondary injury to the kidney and liver.
IRRITANCY OF PRODUCT: Medium
CARCINOGENICITY: ND
SENSITIZATION TO MATERIAL: ND
REPRODUCTION TOXICITY: ND
TERATOGENICITY: ND
MUTAGENICITY: ND

SECTION 12 – ECOLOGICAL CONSIDERATION

No permanent effects on ecosystems.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: In accordance with federal, provincial or local government requirements.

MATERIAL SAFETY DATA SHEET

VENTURE

SECTION 14 – TRANSPORT INFORMATION

TDG Classification: Corrosive Liquid, Basic, Inorganic, N.O.S., (Potassium Hydroxide)
Class 8 UN 3266 Packing Group III

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: D2B, E

SECTION 16 – OTHER INFORMATION

Prepared by: Lab Personnel

Phone: (416) 744-2120

Website: www.alpinechem.com

Disclaimer:

The information contained in this form is based on data from sources considered technically reliable and has been provided in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond our control. No warranty, expressed or implied, is made and we will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information in this form.